



Water Quality Program

Permit Submittal Electronic Certification

Permittee: DUPONT CITY

Permit Number: WAR045005

Site Address: 303 BARKSDALE AVE
Dupont, WA 98327

Submittal Name: MS4 Annual Report Phase II Western

Version: 1

Due Date: 3/31/2021

Questionnaire

Number	Permit Section	Question	Answer
1	S5.A	Attach a copy of any annexations, incorporations or boundary changes resulting in an increase or decrease in the Permittee's geographic area of permit coverage during the reporting period per S9.D.6.	Not Applicable
2	S5.A	Attach updated annual Stormwater Management Program Plan (SWMP Plan). (S5.A.2)	2021 Annual SWMP_City of DuPon_2_01062021105628
3	S5.A	Implemented an ongoing program to gather, track, and maintain information per S5.A.3, including costs or estimated costs of implementing the SWMP.	Yes
4	S5.A.5.b	Coordinated among departments within the jurisdiction to eliminate barriers to permit compliance. (S5.A.5.b)	Yes
5	S5.C.1.	Have you convened an interdisciplinary team to inform and assist in the development, progress, and influence of the comprehensive stormwater planning program? (S.5.c.1). August 1, 2020	Yes
15	S5.C.1.c	Continue to design and implement local development-related codes, rules, standards, or other enforceable documents to minimize impervious surfaces, native vegetation loss, and stormwater runoff, where feasible? See S5.C.1.c.i. (Required annually)	Yes
16	S5.C.1.c	From the assessment described in S5.C.1.c.i (a), did you identify any administrative or regulatory barriers to implementation of LID Principles or LID BMPs? (Required annually)	No
20	S5.C.2	Did you choose to adopt one or more elements of a regional program? (S5.C.2)	Yes

20a	S5.C.2	If yes, list the elements, and the regional program.	<p>The City adopted the following elements:</p> <ul style="list-style-type: none"> • The City, as a member of the STORM group, joined a digital marketing campaign during the month of September for Puget Sound Starts Here Month. The campaign helped promote individual behavior changes to improve water quality in the Puget Sound. The campaign increased awareness of the for Puget Sound Starts Here (PSSH) brand, increased more followers on social media channels, direct traffic to the PSSH website, and influence positive behavior changes. These ads were running on Facebook and Google between September 1-30, 2020 and they were in four languages (English, Spanish, Vietnamese and Korean). • The City adopted “Puget Sound Starts Here” and made the message and fish logo “Only Rain Down the drain” distinctive on our vehicle, flyers, and storm drains to build general awareness. • Educational material and messages from the STORM library have been adopted by the City.
21	S5.C.2	Attach a description of general awareness efforts conducted, including your target audiences and subject areas, per S5.C.2.a.i.	2020 Education and Outreach_21_01062021 110458
22	S5.C.2	Conducted an evaluation of the effectiveness of the ongoing behavior change program and documented recommendations as outlined in S.5.C.2.a.ii(b). (Required no later than July 1, 2020)	Not Applicable
24	S5.C.2	Began implementing strategy outlined in S.5.C.2.a.ii(c) (S5.C.2.a.ii(d) – Required by April 1, 2021)	Yes

26	S5.C.2	Promoted stewardship opportunities (or partnered with others) to encourage resident participation in activities such as those described in S5.C.2.a.iii.	Yes
26a	S5.C.2	Attach a list of stewardship opportunities provided.	2020 Stewardship Opportunities_26a_010 62021110459
27	S5.C.3.	Describe in Comments field the opportunities created for the public, including overburdened communities, to participate in the decision-making processes involving the development, implementation, and updates of the Permittee's SWMP and the SMAP. (S5.C.3.a)	The SWMP is made accessible on the City's Website for public/review and comments. Additional opportunity is offer for the public during the DuPont City Council meetings at City Hall from 7:00 PM on the second Tuesday of each month.
28	S5.C.3.	Posted the updated SWMP Plan and latest annual report on your website no later than May 31. (S5.C.3.b)	Yes
28a	S5.C.3.	List the website address in Comments field.	https://www.dupontwa.gov/218/Stormwater-Utility
29	S5.C.4.	Maintained a map of the MS4 including the requirements listed in S5.C.4.a.i-vii?	Yes
30	S5.C.4.	Started mapping outfall size and material in accordance with S5.C.4.b.i? (Required no later than January 1, 2020)	Not Applicable
31	S5.C.4.	Completed mapping connections to private storm sewers in accordance with S5.C.4.b.ii? (Required no later than August 1, 2023)	Yes
32	S5.C.4.	Developed an electronic format for map, with fully described mapping standards in accordance with S5.C.4.c? (Required no later than August 1, 2021)	Yes
33	S5.C.5	Informed public employees, businesses, and the general public of hazards associated with illicit discharges and improper disposal of waste. Describe actions in Comments field. (S5.C.5.b)	Yes
34	S5.C.5	Implemented an ordinance or other regulatory mechanism to effectively prohibit non-stormwater, illicit discharges as described in S5.C.5.c.	Yes
35	S5.C.5	Implemented procedures for conducting illicit discharge investigations in accordance with S5.C.5.d.i.	Yes

35a	S5.C.5	Cite field screening methodology in Comments field.	The City's Illicit Discharge Detection and Elimination Program uses the Illicit Discharge Detection and Elimination: A Guidance Manual for Program Development and Technical Assessments (University of Alabama, Pitt Robert, 2004) as a reference. Our most recurrent technics are: dye testing, catch basin/manhole inspections, stormwater permanent BMPs, and outfall inspections.
36	S5.C.5	Percentage of MS4 coverage area screened in the reporting year per S5.C.5.d.i. (Required to screen 12% on average each year.)	100
36a	S5.C.5	Cite field screening techniques used to determine percent of MS4 screened.	The City completed screening through outfall and stormwater permanent BMPs inspections. The City has 19 outfalls and 43 different locations (stormwater permanent BMPs) for discharge points. The City inspected 100% of the outfalls and discharge points in 2020.
37	S5.C.5	Percentage of total MS4 screened from permit effective date through the end of the reporting year. (S5.C.5.d.i.)	100
38	S5.C.5	Describe how you publicized a hotline telephone number for public reporting of spills and other illicit discharges in the Comments field. (S5.C.5.d.ii)	It's publicized through our City website, facebook, utility bills, and flyers.
39	S5.C.5	Implemented an ongoing illicit discharge training program for all municipal field staff per S5.C.5.d.iii.	Yes
40	S5.C.5	Implemented an ongoing program to characterize, trace, and eliminate illicit discharges into the MS4 per S5.C.5.e.	Yes
41	S5.C.5	Municipal illicit discharge detection staff are trained to conduct illicit discharge detection and elimination activities as described in S5.C.5.f.	Yes
42	S5.C.5	Attach a report with data describing the actions taken to characterize, trace, and eliminate each illicit discharge reported to, or investigated by, the Permittee as described in S5.C.5.g. The submittal must include all of the applicable information and must follow the instructions, timelines, and format described in Appendix 12.	2020 IDDE DuPont_42_010620211 11055

43	S5.C.6.	Implemented an ordinance or other enforceable mechanism to effectively address runoff from new development, redevelopment, and construction sites per the requirements of S5.C.6.b.i-iii.	Yes
44	S5.C.6.	Revised ordinance or other enforceable mechanism to effectively address runoff from new development, redevelopment, and construction sites per the requirements of S5.C.6.b.i-iii. (Required no later than June 30, 2022)	Not Applicable
45	S5.C.6.	Number of adjustments granted to the minimum requirements in Appendix 1. (S5.C.6.b.i. and Section 5 of Appendix 1)	0
46	S5.C.6.	Number of exceptions/variances granted to the minimum requirements in Appendix 1. (S5.C.6.b.i., and Section 6 of Appendix 1)	0
47	S5.C.6.	Reviewed Stormwater Site Plans for all proposed development activities that meet the thresholds adopted pursuant to S5.C.6.b.i. (S5.C.6.c.i)	Yes
47a	S5.C.6.	Number of site plans reviewed during the reporting period.	3
48	S5.C.6.	Inspected, prior to clearing and construction, permitted development sites per S5.C.6.c.ii, that have a high potential for sediment transport as determined through plan review based on definitions and requirements in Appendix 7 – Determining Construction Site Sediment Damage Potential?	Yes
49	S5.C.6.	Inspected permitted development sites during construction to verify proper installation and maintenance of required erosion and sediment controls per S5.C.6.c.iii.	Yes
49a	S5.C.6.	Number of construction sites inspected per S5.C.6.c.iii.	4
49b	S5.C.6.	Inspected stormwater treatment and flow control BMPs/facilities and catch basins in new residential developments every 6 months per S5.C.6.c.iv?	Yes
50	S5.C.6.	Inspected all permitted development sites upon completion of construction and prior to final approval or occupancy to ensure proper installation of permanent stormwater facilities. (S5.C.6.c.v)	Yes
51	S5.C.6.	Verified a maintenance plan is completed and responsibility for maintenance is assigned for projects prior to final approval and occupancy being granted. (S5.C.6.c.v)	Yes
52	S5.C.6.	Number of enforcement actions taken during the reporting period (based on construction phase inspections at new development and redevelopment projects). (S5.C.6.c.ii-iv) (S5.C.7.c.viii)	1
53	S5.C.6.	Achieved at least 80% of scheduled construction-related inspections. (S5.C.6.c.vi)	Yes

54	S5.C.6.	Made Ecology's Notice of Intent for Construction Activity and Notice of Intent for Industrial Activity available to representatives of proposed new development and redevelopment? (S5.C.6.d)	Yes
55	S5.C.6.	All staff whose primary job duties are implementing the program to control stormwater runoff from new development, redevelopment, and construction sites including permitting, plan review, construction site inspections, and enforcement are trained to conduct these activities? (S5.C.6.e)	Yes
56	S5.C.7.	Implemented maintenance standards that are as protective, or more protective, of facility function than those specified in the Stormwater Management Manual for Western Washington or a Phase I program approved by Ecology per S5.C.7.a.?	Yes
57	S5.C.7.	Updated maintenance standards specified in Stormwater Management Manual for Western Washington per S5.C.7.a? (Required no later than June 30, 2022)	No
58	S5.C.7.	Applied a maintenance standard for a facility or facilities which do not have maintenance standards specified in the Stormwater Management Manual for Western Washington? If so, note in the Comments field what kinds of facilities are covered by this alternative standard. (S5.C.7.a)	No
59	S5.C.7.	Verified that maintenance was performed per the schedule in S5.C.7.a.ii when an inspection identified an exceedance of the maintenance standard.	No
59a	S5.C.7.	Attach documentation of maintenance time frame exceedances that were beyond the Permittee's control.	Not Applicable
60	S5.C.7.	Implemented an ordinance or other enforceable mechanisms to verify long-term operation and maintenance of stormwater treatment and flow control BMPs/facilities regulated by the permittee per (S5.C.7.b.i (a))?	Yes
61	S5.C.7.	Annually inspected stormwater treatment and flow control BMPs/facilities regulated by the Permittee per S5.C.7.b.i(b)	Yes
61a	S5.C.7.	If using reduced inspection frequency for the first time during this permit cycle, attach documentation per S5.C.7.b.i (b)	Not Applicable
62	S5.C.7.	Achieved at least 80% of scheduled inspections to verify adequate long-term O&M. (S5.C.7.b.ii)	Yes
63	S5.C.7.	Annually inspected all municipally owned or operated permanent stormwater treatment and flow control BMPs/facilities. (S5.C.7.c.i)	Yes
63a	S5.C.7.	Number of known municipally owned or operated stormwater treatment and flow control BMPs/facilities. (S5.C.7.c.i)	43
63b	S5.C.7.	Number of facilities inspected during the reporting period.	43

63c	S5.C.7.	Number of facilities for which maintenance was performed during the reporting period.	18
64	S5.C.7.	If using reduced inspection frequency for the first time during this permit cycle, attach documentation per S5.C.7.c.i.	Not Applicable
65	S5.C.7.	Conducted spot checks and inspections (if necessary) of potentially damaged stormwater facilities after major storms as per S5.C.7.c.ii.	Yes
66	S5.C.7.	Inspected municipally owned or operated catch basins and inlets every two years or used an alternative approach? Cleaned as needed? (S.5.C.7.c.iii)	Yes
66a	S5.C.7.	Number of known catch basins?	1710
66b	S5.C.7.	Number of catch basins inspected during the reporting period?	0
66c	S5.C.7.	Number of catch basins cleaned during the reporting period?	0
67	S5.C.7.	Attach documentation of alternative catch basin cleaning approach, if used. (S5.C.7.c.iii.(a)-(c))	Not Applicable
68	S5.C.7.	Implemented practices, policies and procedures to reduce stormwater impacts associated with runoff from all lands owned or maintained by the Permittee, and road maintenance activities under the functional control of the Permittee. (S5.C.7.d)	Yes
69	S5.C.7.	Documented practices, policies, and procedures to reduce stormwater impacts associated with runoff from all lands owned or maintained by the Permittee, and road maintenance activities under the functional control of the Permittee. (S5.C.7.d – Required by December 31, 2022)	Not Applicable
70	S5.C.7.	Implemented an ongoing training program for Permittee employees whose primary construction, operations or maintenance job functions may impact stormwater quality. (S5.C.7.e)	No
71	S5.C.7.	Implemented a Stormwater Pollution Prevention Plan (SWPPP) for all heavy equipment maintenance or storage yards, and material storage facilities owned or operated by the Permittee in areas subject to this Permit that are not required to have coverage under an NPDES permit that covers stormwater discharges associated with the activity. (S5.C.7.f)	Yes
72	S5.C.7.	Updated, if needed, SWPPPs according to S5.C.7.f no later than December 31, 2022.	Not Applicable
73	S5.C.8	Adopted ordinance(s), or other enforceable documents, requiring the application of source control BMPs for pollutant generating sources associated with existing land uses and activities per S.5.C.8.b.i. (Required by August 1, 2022)	Not Applicable
74	S5.C.8	Established an inventory per S5.C.8.b.ii. (Required by August 1, 2022.)	Not Applicable
75	S5.C.8	Implemented an inspection program S5.C.8.b.iii (Required by January 1, 2023).	Not Applicable

76	S5.C.8	Implemented a progressive enforcement policy per S5.C.8.b.iv (Required by January 1, 2023).	Not Applicable
77	S5.C.8	Attach a summary of actions taken to implement the source control program per S5.C.8.b.iii and S5.C.8.b.iv.	Not Applicable
78	S5.C.8	Attach a list of inspections, per S5.C.8.b.iii, organized by the business category, noting the amount of times each business was inspected, and if enforcement actions were taken.	Not Applicable
79	S5.C.8	Implemented an ongoing source control training program per S5.C.8.b.v?	Not Applicable
80	S7	Complied with the Total Maximum Daily Load (TMDL)-specific requirements identified in Appendix 2. (S7.A)	Not Applicable
81	S7	For TMDLs listed in Appendix 2: Attach a summary of relevant SWMP and Appendix 2 activities to address the applicable TMDL parameter(s). (S7.A)	Not Applicable
82	S8	Submitted payment for cost-sharing for Stormwater Action Monitoring (SAM) status and trends monitoring no later than December 1, 2019 (S8.A.1); and no later than August 15 of each subsequent year? (S8.A.2.a.)	Yes
84	S8	Submitted payment for cost-sharing for SAM effectiveness and source identification studies no later than December 1, 2019 (S8.B.1); and no later than August 15 of each subsequent year (S8.B.2.a or S8.B.2.c)?	Yes
86	S8	If conducting stormwater discharge monitoring in accordance with S8.C.1, submitted a QAPP to Ecology no later than February 1, 2020? (S8.C.1.b and Appendix 9)	Not Applicable
88	G3	Notified Ecology in accordance with G3 of any discharge into or from the Permittees MS4 which could constitute a threat to human health, welfare or the environment. (G3)	Not Applicable
89	G3	Took appropriate action to correct or minimize the threat to human health, welfare, and/or the environment per G3.A.	Not Applicable
90	Compliance with standards	Notified Ecology within 30 days of becoming aware that a discharge from the Permittee's MS4 caused or contributed to a known or likely violation of water quality standards in the receiving water. (S4.F.1)	Not Applicable
91	Compliance with standards	If requested, submitted an Adaptive Management Response report in accordance with S4.F.3.a.	Not Applicable
92	Compliance with standards	Attach a summary of the status of implementation of any actions taken pursuant to S4.F.3 and the status of any monitoring, assessment, or evaluation efforts conducted during the reporting period. (S4.F.3.d)	Not Applicable
93	G20	Notified Ecology of the failure to comply with the permit terms and conditions within 30 days of becoming aware of the non-compliance. (G20)	Yes

94	G20	Number of non-compliance notifications (G20) provided in reporting year. List permit conditions described in non-compliance notification(s) in Comments field.	1
94a	G20	List permit conditions described in non-compliance notification(s).	Permit condition S5.C.7.c.iii

I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Andrew Takata

1/6/2021 1:26:56 PM

Signature

Date